

ROVER Daily Average Gas Quality Info for Gas Day 10-12-2021

Name	BTU	CHDP	Wobbe Index	CO2	N2	Gravity	Methane	Ethane	Propane	Ibutane	Nbutane	Ipentane	Npentane	C6+
ANR WESTRICK	1069.3496	-51.5304	1384.3873	0.1909	0.3620	0.5967	91.9329	7.1983	0.2598	0.0244	0.0204	0.0051	0.0024	0.0040
BERNE	1089.3943	-70.3492	1394.7211	0.1463	0.4979	0.6101	88.9142	10.2582	0.1783	0.0034	0.0017	0.0000	0.0000	0.0000
CADIZ-MW	1059.8826	-85.9523	1379.2829	0.1853	0.3571	0.5905	93.0050	6.2723	0.1603	0.0105	0.0082	0.0011	0.0003	0.0000
CADIZ-ORS	1038.9326	-73.5284	1368.2045	0.2254	0.2400	0.5766	96.0909	3.1224	0.2667	0.0259	0.0232	0.0030	0.0016	0.0012
CLARINGTO N-EUREKA	1047.1411	-79.8001	1372.1558	0.2041	0.3270	0.5824	94.7171	4.5542	0.1708	0.0104	0.0130	0.0015	0.0011	0.0008
CLARINGTO N-OVC	1062.4778	-60.9011	1380.4466	0.2206	0.3264	0.5924	92.6938	6.5556	0.1778	0.0082	0.0114	0.0022	0.0016	0.0025
CPG-SHERWOOD	1124.5103	-52.2729	1414.3692	0.1721	0.4305	0.6322	84.8235	14.0073	0.5545	0.0065	0.0057	0.0000	0.0000	0.0000
FIN	1069.4094	-54.5888	1384.4752	0.1899	0.3590	0.5967	91.9307	7.2055	0.2593	0.0249	0.0199	0.0051	0.0024	0.0033
HARMON CREEK	1081.8894	-75.2970	1391.3591	0.1247	0.4659	0.6047	89.8832	9.4723	0.0540	0.0000	0.0000	0.0000	0.0000	0.0000
MADISON	1119.8702	37.6990	1413.7479	0.1512	0.2699	0.6275	89.1477	7.9043	1.5918	0.3672	0.2869	0.1133	0.0492	0.1185
MAJORSVILLE	1069.8276	-74.8951	1383.8073	0.1416	0.5081	0.5977	91.3954	7.8272	0.1236	0.0012	0.0015	0.0000	0.0004	0.0011
PANHANDLE FALCON	1069.3734	-48.3189	1384.4176	0.1902	0.3615	0.5967	91.9333	7.2004	0.2580	0.0241	0.0203	0.0051	0.0024	0.0047
REVOLUTION	1019.9746	-113.5097	1358.6099	0.0367	0.4425	0.5637	98.1587	1.3543	0.0078	0.0000	0.0000	0.0000	0.0000	0.0000
REX-SENECA	1089.7052	-70.2257	1395.0355	0.1415	0.4934	0.6102	88.9005	10.2758	0.1835	0.0037	0.0015	0.0000	0.0000	0.0000
SENECA	1106.3397	-63.0163	1405.7074	0.1665	0.3320	0.6195	87.0128	12.3405	0.1439	0.0033	0.0010	0.0000	0.0000	0.0000
SHERWOOD	1114.5948	-58.2020	1408.4298	0.1880	0.4486	0.6263	85.7018	13.4338	0.2223	0.0033	0.0019	0.0000	0.0000	0.0000
SUNDANCE	1054.5997	-41.7433	1377.1573	0.1987	0.2644	0.5864	94.4901	4.4000	0.4997	0.0707	0.0538	0.0114	0.0051	0.0061